

## Car Powertrain Technology

# Manual transmissions, double-clutch transmissions and automatic transmissions for cars

# List of lubricants TE-ML 11

Table of contents	Page	
1. Manual transmissions	2	
2. Double-clutch transmissions		
3. Automatic transmissions	4	
4. Explanation of footnotes and comments	5	
5. Maintenance recommendations ZF automatic transmissions	5	
6. Lubricant classes and approved trade products	6	

The list of lubricants TE-ML 11, **edition 01-JUL-16** replaces all previous editions. The current list can be requested from any ZF after-salesservice center or accessed on the Internet under www.zf.com/lubricants.

**ZF Friedrichshafen AG** D-88038 Friedrichshafen www.zf.com/contact

# 1. Manual transmissions

Product groups	Approved lubricants for service fills
S5-31 S5-39	According to spare part number of vehicle manufacturer: - BP Castrol BOT 338 => BMW Oil No. 2300 7533 513 => Castrol Syntrans B 75W
S6-37	According to spare part number of vehicle manufacturer:  - Esso Gear Oil 304 / BMW Oil No. 2300 1434 404 (clutch bell housing label MTF-LT1)  no longer available => replaced by BP Castrol BOT 338  - BP Castrol BOT 338  => BMW Oil No. 2300 7533 513 (clutch bell housing label MTF-LT2)  => Castrol Syntrans B 75W  - BP Castrol BOT 207  => BMW Oil No. 2300 7533 818 (clutch bell housing label MTF-LT3)  Warning: use of incorrect lubricant can cause transmission failure
S6-35 S6-45	According to spare part number of vehicle manufacturer: - Pentosin FFL-3 => BMW Oil No. 8322 2167 666 (MTF-LT-5) => Daimler Oil No. A 002 989 04 03 (Getriebeöl ET) => JLR Oil No. GX73-M1R564-AA
S6-53	According to spare part number of vehicle manufacturer:  - Esso Gear Oil 304 / BMW Oil No. 2300 1434 404 (clutch bell housing label MTF-LT1)  no longer available => replaced by BP Castrol BOT 338  - BP Castrol BOT 338  => BMW Oil No. 2300 7533 513 (clutch bell housing label MTF-LT2)  => VW Oil No. N 05279800  => Castrol Syntrans B 75W  - BP Castrol BOT 207  => BMW Oil No. 2300 7533 818 (clutch bell housing label MTF-LT3)  Warning: use of incorrect lubricant can cause transmission failure
6S530	According to spare part number of vehicle manufacturer: - BP Castrol BOT 338 => Nissan Oil No. 32001 1BY0A => Castrol Syntrans B 75W
S7-45HL, S7-45HLA S7-55HL, S7-55HLA	According to spare part number of vehicle manufacturer: - ExxonMobil Mobilube PTX 75W-90 => Porsche Oil No. 999.917.067.00 or => Porsche Oil No. 999.917.090.00

# 2. Double-clutch transmissions

Product groups	Approved lubricants for service fills
7DT45HL, 7DT45HLA, 7DT45FL 7DT46HL, 7DT46HLA, 7DT46FL 7DT47HL 7DT55HL, 7DT55HLA, 7DT55FL 7DT70HLA 7DT71HLA 7DT72HLA	According to spare part number of vehicle manufacturer:  1. Clutch component Pentosin FFL-3 => Porsche Oil No. 999.917.080.00  2. Transmission component ExxonMobil Mobilube PTX 75W-90 => Porsche Oil No. 999.917.067.00 or => Porsche Oil No. 999.917.090.00
7DT71HL	According to spare part number of vehicle manufacturer:  1. Clutch component  => Porsche Oil No. 999.917.080.01  2. Transmission component  ExxonMobil Mobilube PTX 75W-90  => Porsche Oil No. 999.917.067.00 or  => Porsche Oil No. 999.917.090.00
7DT75, 7DT75A 7DT76, 7DT76A	According to spare part number of vehicle manufacturer: Pentosin FFL-3 => Porsche Oil No. 999.917.080.00

# 3. Automatic transmissions

Product groups	Approved lubricants for service fills
3HP22, 3HP22Q, 4HP14Q, 4HP18FL <sup>(1)</sup> , 4HP18FLA <sup>(2)</sup> , 4HP18FLE <sup>(1)</sup> , 4HP18Q, 4HP18QE, 4HP22, 4HP22EH, 4HP22HL <sup>(3)</sup> , 4HP24, 4HP24A <sup>(2)</sup>	Automatic Transmission Fluid (ATF) according to lubricant classes 11A / 11B => Refer to the following pages for approved commercial products or Automatic Transmission Fluid (ATF) based on mineral base fluids according to former Dexron-III / Dexron-III specification by General Motors. => without listing
5HP18	According to marking:  - Transmissions with black type plate Automatic Transmission Fluid (ATF) according to lubricant class 11B => Refer to the following pages for approved commercial products - Transmissions with green type plate or with green label on the oil pan. ZF Lifeguardfluid 5 (ZF No. S671 090 170) => BMW Oil No. 8322 9407807 ATF according to lubricant class 11B are not permitted (exception: ZF Lifeguardfluid 5) Warning: use of incorrect lubricant can cause transmission failure
5HP30	According to spare part number of vehicle manufacturer:  - Shell ATF LA-2634 / BMW Oil No. 8322 9407765 (Marking of filling port of oil pan) no longer available => replaced by ZF Lifeguardfluid 5 - ZF Lifeguardfluid 5 (ZF No. S671 090 170) => BMW Oil No. 8322 9407807 (Marking of filling port of oil pan) => Rolls Royce Oil No. PL 31493PA
4HP20, 5HP19, 5HP19FL <sup>(1)</sup> , 5HP19FLA <sup>(2)</sup> , 5HP19HL <sup>(1)</sup> , 5HP19HLA <sup>(2)</sup> , 5HP24, 5HP24A <sup>(2)</sup>	According to spare part number of vehicle manufacturer:  ZF Lifeguardfluid 5 (ZF No. S671 090 170)  => Audi / VW Oil No. G 052162 A1 / A2 / A6  => BMW Oil No. 8322 9407807  => Citroen Oil No. Z 000169756  => Jaguar Oil No. JLM 20238  => Mercedes Benz Oil No. A 0019892203  => Peugeot Oil No. Z 000169756  => Porsche Oil No. 999.917.547.00
6HP19, 6HP19A (2) - MPL-dependent (main parts list) 6HP19X - <b>not for</b> Audi Q7, 6HP21, 6HP21X, 6HP26, 6HP26X, 6HP26A61 - <b>not</b> for vehicles equipped with Audi W12-engine (2), 6HP28, 6HP28X, 6HP28A61, 6HP32, 6HP32A (2), 6HP32X	According to spare part number of vehicle manufacturer:  ZF Lifeguardfluid 6 (ZF No. S671 090 255)  => AML Oil No. 4G4319A509/AA/S  => Audi / VW Oil No. G 055005 A1 / A2 / A6  => Bentley Oil No. PY112995PA  => BMW Oil No. 8322 0142516  => Hyundai Oil No. 040000C90SG  => Jaguar Oil No. Jaguar Fluid 8432  => Land Rover Oil No. TYK500050  => Maserati Oil No. 231603
6HP19A (2) - MPL-dependent (main parts list) 6HP19X - for Audi Q7, 6HP26A61 - for vehicles with Audi W12-engine (2) 6HP28AF (2) 8HP45, 8HP45X, 8HP55A (2), 8HP70, 8HP70L, 8HP70X, 8HP90, 8HP90A (2) 9HP48	According to spare part number of vehicle manufacturer:  ZF Lifeguardfluid 8 (ZF No. S671 090 312)  => Audi / VW Oil No. G 060162 A1 / A2 / A6 ATF  => BMW Oil No. 8322 2152426  => Jaguar Oil No. 02JDE 26444  => Land Rover Oil No. LR023288  => Chrysler Oil No. 68157995AA  => Petronas Tutela Transmission AS8

### 4. Explanation of footnotes and comments

#### **Footnotes**

- (1) Filling differential with transmission oil Castrol SAF-AG4 => Audi / VW Oil No. N 052145000, Porsche Oil No. 999.917.545.00)
- (2) Split oil supply front / rear axle differential:
  - Filling front axle differential with transmission oil Castrol SAF-AG4
  - => Audi / VW Oil No. N 052145000, Porsche Oil No. 999.917.545.00)
  - Filling rear axle differential with transmission oil Castrol SAF-AG4 + 4% Sturaco FM 1992 KS
  - => Audi / VW Oil No. G 055145 A2)

Common oil supply front /rear axle differential:

- Filling with transmission oil Castrol SAF-AG4 + 4% Sturaco FM 1992 KS
- => Audi / VW Oil No. G 055145 A2
- (3) Filling differential with transmission oil API GL-5, MIL-L-2105D, MIL-PRF-2105E, SAE J 3260, viscosity class SAE 75W-90 or SAE 90.

#### Comments

Additives of any kind added **later** to the oil change the oil in a manner that is unpredictable, and they are therefore not permitted. No liability of any kind will be accepted by ZF for any damage resulting from the use of such additives.

#### 5. Maintenance recommendations ZF automatic transmissions

#### 3/4-speed automatic transmissions:

ZF 3 and 4-speed automatic transmissions must be filled with approved ATF oils according to ZF list of lubricants TE-ML 11, lubricant class 11A / 11B or with mineral ATF oils according to the former Specification Dexron II / Dexron III by General Motors. For oil-change intervals consult the vehicle manufacturer's specifications.

## 5-, 6-, 8- and 9-speed as well as 4HP20 automatic transmissions:

ZF 5-, 6-, 8- and 9-speed as well as the ZF 4HP20 automatic transmissions are filled maintenance-free with specially developed partially synthetic ATF oils. Maintenance-free fills are intended for normal operating conditions. Especially driving at very high operating temperatures can result in accelerated aging or increased wear of ATF oils. It is recommended, in the event of severe operating conditions, such as:

- frequent highway driving in top speed range,
- offensive, sporty driving style,
- frequent trailer operation,

being above average, oil purification (oil change) on automatic transmissions is recommended between 80,000 km and 120,000 km, or 8 years, depending on the load.

In each case, only released ATF oil may be used for oil changes. And oil changes must be performed in accordance with the relevant specifications.

The exception is the ZF 5HP18 automatic transmission which must be filled differently depending on the version.

The released ATF oils in each case are specified in the ZF Lubricants List TE-ML 11.

ZF approval number

# 6. Lubricant classes and approved trade products

#### **Lubricant class 11A**

Automatic Transmission Fluid (ATF)

# Manufacturer (11A)

ALEXANDRIA MINERAL OILS COMPANY, ALEXANDRIA/EG AMALIE PETROQUIMICA, MADRID/ES ARAL AG, BOCHUM/DE BP PLC., LONDON/GB BUCHER AG LANGENTHAL, LANGENTHAL/CH CASTROL LTD, LONDON/GB CHEVRON LUBRICANTS, SAN RAMON, CA/US CHEVRON LUBRICANTS, SAN RAMON, CA/US ENI S.P.A., ROME/IT EXXONMOBIL CORPORATION, HOUSTON, TX/US FABRIKA MAZIVA FAM AD, KRUŠEVAC/RS INA MAZIVA LTD., ZAGREB/HR KOCAK PETROL URUNLERI SAN.VE TIC.LTD.STI, KOCAELI/TR MEGUIN GMBH & CO. KG, SAARLOUIS/DE MOTUL SA. AUBERVILLIERS/FR OOO "LLK-INTERNATIONAL", MOSCOW/RU ORLEN OIL SP. Z O.O., KRAKOW/PL PETRONAS LUBRICANTS INTERNATIONAL SDN BH, KUALA LUMPUR/MY PRISTA OIL HOLDING EAD, RUSE/BG SHELL INTERNATIONAL PETROLEUM COMP. LTD, LONDON/GB TARIMSAN TARIM SAN. VE TIC. A.S, KOCAELI/TR UNIL OPAL, SAUMUR/FR

## Trade name (11A)

AMOC POWER ATF DEXRON II ZF001702 ZF001702 ZF001128 ZF000147 ARAL GETRIEBEÖL ATF 22 BP AUTRAN MBX ZF000196 ATF SUPER ZF000593 CASTROL ATF DEX II MULTIVEHICLE ZF000223 TEXAMATIC B ZF001202 TEXAMATIC 4291 AGIP ATF II D ZF001574 ZF000925 MOBIL ATF 220 ZF000033 ZF001187 ATF DII INA ATF SUPER ZF000248 SPEEDOL ATF DEXRON II ZF000979 MEGOL HYDRAULIKOEL ATF DEXRON II D MOTUL DEXRON II D ZF001992 ZF001104 ZF001759 LUKOIL ATF IID HIPOL ATF II D ZF000081 TUTELA TRANSMISSION STARFLUID HD-ED ZF000992 PRISTA ATF ZF000355 SHELL SPIRAX S2 ATF AX ZF000374 TARMOND ATF II ZF000408 MATIC D ZF001071

ZF approval number

## **Lubricant class 11B**

Automatic Transmission Fluid (ATF)

## Manufacturer (11B)

AMALIE PETROQUIMICA, MADRID/ES
ARAL AG, BOCHUM/DE
BP PLC., LONDON/GB
CASTROL LTD, LONDON/GB
DEUTSCHE PENTOSIN WERKE GMBH, WEDEL/DE
ENI S.P.A., ROME/IT
EXXONMOBIL CORPORATION, HOUSTON, TX/US
EXXONMOBIL CORPORATION, HOUSTON, TX/US
KUWAIT PETROLEUM INTERNATIONAL LUBRICANT, ANTWERP/NL
TOTAL LUBRIFIANTS S.A., NANTERRE/FR
YACCO SAS, ST PIERRE LES ELBEUF/FR
ZF FRIEDRICHSHAFEN AG, FRIEDRICHSHAFEN/DE

## Trade name (11B)

ATF DEXRON III ZF001121
ARAL GETRIEBEÖL ATF LD ZF000144
BP AUTRAN LTF ZF000195
CASTROL TRANSMAX Z ZF000221
PENTOSIN ATF 1 ZF000734
AGIP DEXRON III ZF000927
MOBIL ATF D 21065 ZF00038
MOBIL ATF LT71141 ZF000044
Q8 AUTO 15 ZF00082
TOTAL FLUIDE AT 42 ZF00183
ATF III ZF01610
ZF-LIFEGUARDFLUID 5 ZF00163